

RULES FOR THE USE OF “STANDARDS MALAYSIA” ACCREDITATION SYMBOL BY CERTIFIED CLIENTS OF INTERTEK

Document #: F205-1-SM

Release Date: 28-MAY-2021

Page 1 of 4



The “STANDARDS MALAYSIA” Accreditation Symbol in conjunction with “INTERTEK” Certification Mark (Reference Document: *Accreditation Circular 2/2020* Issue date: 1 June 2020)

1.1. This New “STANDARDS MALAYSIA” Accreditation Symbol relates to the accreditation of INTERTEK to award certificates and must only be used in conjunction with the INTERTEK Mark (as illustrated) without any alteration and show the appropriate management system relevant to the client’s certificate and the INTERTEK registration number, printed centrally below the Accreditation Symbol.

The previous accreditation symbol shall be replaced with this new accreditation symbol no later than **1 June 2022**.

1.2 The Combined Symbol & Mark can be used on:

- Organisation’s stationery, provided the organisation’s logo or title is also displayed with at least equal prominence.
- Organisation’s publicity material or other items relevant to the certificate.
- Internal walls and doors within the certificated organisation’s building.
- Business cards.

1.3 The Combined Symbol & Mark may be placed/displayed on

- Large product packaging used for transportation provided it contains the following text in a manner that makes it obvious that the text and certification mark are linked, Example: “manufactured (See note 1) under a quality system certified as complying with ISO 9001 by an accredited certification body.” (Note 1: Variation of the word “manufactured” such as “assembled”, “packaged”, “bottled”, “blended”, “serviced” etc. should be used appropriately to denote in more explicit and factual way that would remove any reasonable doubt of an ordinary consumer).
- On internal walls and doors; and on exhibition stands

1.4 The Combined Symbol & Mark cannot be used on:

- Products or primary product packaging (e.g. blister bags).
- Promotional products (pens, mats, diaries etc)
- Vehicles





RULES FOR THE USE OF “STANDARDS MALAYSIA” ACCREDITATION SYMBOL BY CERTIFIED CLIENTS OF INTERTEK

Document #: F205-1-SM

Release Date: 28-MAY-2021

Page 2 of 4

- External walls of buildings
- Flags and banners
- Test reports or Certificates of Compliance (such as calibration certificates or certificates of analysis).

1.5 The Combined Symbol & Mark cannot be used:

- by sites or activities not included in the scope
- by licensees of a certified organisation
- in any misleading manner

1.6 The Combined Symbol & Mark should normally have a minimum height (excluding the Accreditation Number and Certificate Number) of 20 mm on A4 stationery and should not be larger than 30 mm high. On larger items of unfolded stationery, the size may be proportionally increased. Where space restrictions apply, the Symbol & Mark may be reduced in size but must always be easily legible with no infilling.

1.7 The Combined Symbol & Mark shall normally be printed in a single colour with the new accreditation symbol to be displayed in colour as shown in **Figure 1** or in black and white as in **Figure 2**. The Intertek Mark may only be reproduced in black.

1.8 Soft copy of the above combined Symbol and Mark is available from Intertek Certification International Sdn Bhd upon email to operations manager (kathleen.chai@intertek.com)

1.9 Electronic reproduction of the Symbol & Mark from the logo master is permitted, provided that the above requirements are met.

1.10 Redrawn approximations of the marks are not allowed.

For further information, please do not hesitate to contact
Intertek Certification International Sdn Bhd
Operations Manager : Kathleen Chai (kathleen.chai@intertek.com)




RULES FOR THE USE OF “STANDARDS MALAYSIA” ACCREDITATION SYMBOL BY CERTIFIED CLIENTS OF INTERTEK

Document #: F205-1-SM

Release Date: 28-MAY-2021

Page 3 of 4

Figure 1
Accreditation Symbol in Colours





RULES FOR THE USE OF “STANDARDS MALAYSIA” ACCREDITATION SYMBOL BY CERTIFIED CLIENTS OF INTERTEK

Document #: F205-1-SM

Release Date: 28-MAY-2021

Page 4 of 4

Figure 2
Accreditation Symbol in Black and White

